

# 460 RANCHER

### **CHAINSAW**

#### Maximum Power Rancher Series®

Weight: 13.2 lbs

• Displacement: 60.3 cc

• Power Output: 3.62 HP

Bar Length: 24"

• Chain Pitch: 3/8"

Chain Gauge: 0.050"

Snap-Lock Cylinder Cover

· Side Mounted Chain Tensioner

· Combined choke/stop

#### USAGE

DDUELGGIUNY



#### RECOMMENDED APPLICATIONS

For landowners and part-time users with demanding cutting jobs.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqyarna Advantage.



# 460 RANCHER CHAINSAW

#### **ADDITIONAL FEATURES**

**X-TORQ**° **ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**® – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

PART NUMBER	MODEL	DESCRIPTION	MSRP
970515834	460 Rancher	24", 3/8 pitch, .050 ga. 60.3 cc chainsaw	
970515854	460 Rancher	24", 3/8 pitch, .050 ga. 60.3 cc chainsaw, fully assembled, retailer box	

#### **ACCESSORIES**





# 455 RANCHER

### **CHAINSAW**

Maximum Power Rancher Series®

· Weight: 13.2 lbs

Displacement: 55.5 cc

• Power Output: 3.49 HP

• Chain Pitch: 3/8"

Chain Gauge: 0.050"

Snap-Lock Cylinder Cover

Side Mounted Chain Tensioner

Combined choke/stop

#### **USAGE**

DOLLEGGIUMY



### RECOMMENDED APPLICATIONS

For landowners and part-time users for all cutting conditions.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqvarna Advantage.



# 455 RANCHER CHAINSAW

#### **ADDITIONAL FEATURES**

**X-TORQ**° **ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**® – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

#### **ACCESSORIES**





## Best-in-class Starting Performance

• Weight: 9.7 lbs

• Displacement: 40.9 cc

• Power Output: 2.2 HP

• Bar Length: 16"

• Chain Pitch: 0.325"

• Chain Gauge: 0.050"

Easy Starting System

Husqvarna X-CUT Chain Equipped

#### USAGE

PROFFSSION.

JEANV DITT



LIGHT DUT

### RECOMMENDED APPLICATIONS

General use, clean-up, firewood cutting.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqvarna Advantage.



#### **ADDITIONAL FEATURES**

**X-TORQ® ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**EASY STARTING SYSTEM** – Low RPM start reduces pull force required to start the saw.

#### **ACCESSORIES**





Best-in-class
Starting Performance

• Weight: 9.7 lbs

• Displacement: 40.9 cc

• Power Output: 2.4 HP

• Bar Length: 18"

• Chain Pitch: 0.325"

• Chain Gauge: 0.050"

Easy Starting System

Husgvarna X-CUT Chain Equipped

#### **USAGE**

DDULLGGIUM

HEAVY DIT



LIGHT DUT

### RECOMMENDED APPLICATIONS

General use, clean-up, firewood cutting.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqyarna Advantage.



#### **ADDITIONAL FEATURES**

**X-TORQ® ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**EASY STARTING SYSTEM** – Low RPM start reduces pull force required to start the saw.

#### **ACCESSORIES**





## Best-in-class Starting Performance

· Weight: 11.2 lbs

• Displacement: 45.7 cc

• Power Output: 2.8 HP

• Bar Length: 18"

• Chain Pitch: 0.325"

• Chain Gauge: 0.050"

• Easy Starting System

#### USAGE

PROFFSSION.

HEAVV DITTY



LIGHT DUT

### RECOMMENDED APPLICATIONS

General use, clean-up, firewood cutting.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqyarna Advantage.



#### **ADDITIONAL FEATURES**

**X-TORQ® ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**EASY STARTING SYSTEM** – Low RPM start reduces pull force required to start the saw.

#### **ACCESSORIES**





# 450 RANCHER

#### **CHAINSAW**

 Best-in-class **Starting Performance** 

· Weight: 11.2 lbs

Displacement: 50.2 cc

Power Output: 3.2 HP

Bar Length: 18"-20"

Chain Pitch: 0.325"

Chain Gauge: 0.050"

Easy Starting System

USAGE



**HEAVY DUTY** 

RECOMMENDED **APPLICATIONS** 

General use. clean-up. firewood cutting.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqvarna Advantage.



# 450 RANCHER CHAINSAW

#### **ADDITIONAL FEATURES**

**X-TORQ® ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**EASY STARTING SYSTEM** – Low RPM start reduces pull force required to start the saw.

PART NUMBER	MODEL	DESCRIPTION	MSRP
970515628	450 Rancher	18", .325 pitch, .050 ga. 50.2 cc chainsaw	
970515618	450 Rancher	20", .325 pitch, .050 ga. 50.2 cc chainsaw	
970515620	450 Rancher	20", .325 pitch, .050 ga. 50.2 cc chainsaw, 2 pack (per unit price)	

#### **ACCESSORIES**





## 120 CHAINSAW

· Weight: 10.7 lbs

Displacement: 38.2 cc

Power Output: 2 HPBar Length: 14"-16"

• Chain Pitch: 3/8"

• Chain Gauge: 0.050"

#### **USAGE**

PROFESSION/

HEAVY DUTY

MEDILIM DUT



### RECOMMENDED APPLICATIONS

For easier tasks, clean-up, and firewood cutting.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqyarna Advantage.



## 120 CHAINSAW

#### **ADDITIONAL FEATURES**

**X-TORQ**° **ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**® – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

PART NUMBER	MODEL	DESCRIPTION	MSRP
970515014	120	14", 3/8 pitch, .050 ga. 38 cc chainsaw	
970515016	120	16", 3/8 pitch, .050 ga. 38 cc chainsaw	

#### **ACCESSORIES**





• Weight: 10.36 lbs

• Displacement: 38 cc

• Power Output: 2.01 HP

• Bar Length: 16"

• Chain Pitch: 3/8"

• Chain Gauge: 0.050"

• Snap-Lock Cylinder Cover

Side Mounted Chain Tensioner

#### USAGE

PROFFSSIONA

IE AVAZ BUTT



LIGHT DUT

### RECOMMENDED APPLICATIONS

General use, clean-up, firewood cutting.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqyarna Advantage.



#### **ADDITIONAL FEATURES**

**X-TORQ° ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**® – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

#### **ACCESSORIES**





· Weight: 10.4 lbs

• Displacement: 38 cc

• Power Output: 2.1 HP

• Bar Length: 16"

Chain Pitch: 3/8"

• Chain Gauge: 0.050"

Snap-Lock Cylinder Cover

Side Mounted Chain Tensioner

#### USAGE

PROFFSSIONA

IE AVAZ BUTT



LIGHT DUT

### RECOMMENDED APPLICATIONS

For easier tasks, clean-up, and firewood cutting.



#### INDUSTRY LEADING WARRANTY COVERAGE

Ask us how using fuel you can depend on can extend your warranty up to 5 years. More than giving you added peace of mind, this warranty supports our commitment to provide equipment of high quality, dependability and reliability. That's the Husqyarna Advantage.



#### **ADDITIONAL FEATURES**

**X-TORQ° ENGINE** – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**® – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

#### **ACCESSORIES**





## 365 CHAINSAW

· Weight: 14.1 lbs

• Displacement: 70.7 cc

• Power Output: 4.9 HP

• Chain Pitch: 3/8"

Magnesium Crankcase

SmartStart®

#### USAGE



HEAVY DUTY

### RECOMMENDED APPLICATIONS

Demanding cutting jobs where more power is required.



### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 365 CHAINSAW

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
966428610	365	16", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966428627	365	18", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966428628	365	20", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966428623	365	24", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966428625	365	28", 3/8 pitch, .058 ga. 70.7 cc chainsaw	

#### **ACCESSORIES**







# 395 XP®

· Weight: 17.4 lbs

Displacement: 93.6 cc

• Power Output: 6.97 HP

• Chain Pitch: 3/8"

Chain Gauge: 0.058"

Snap-Lock Air Filter Cover

SmartStart®

#### USAGE



HEAVY DUTY

### RECOMMENDED APPLICATIONS

Demanding cutting jobs where more power is required.



### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 395 XP® CHAINSAW

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
965902765	395XP	28", 3/8 pitch, .058 ga. 94 cc chainsaw	
965902772	395XP	32", 3/8 pitch, .058 ga. 94 cc chainsaw	
965902720	395XP	36", 3/8 pitch, .058 ga. 94 cc chainsaw	

#### **ACCESSORIES**





# 390 XP®

· Weight: 16.1 lbs

Displacement: 88 cc

Power Output: 6.5 HP

• Chain Pitch: 3/8"

• Chain Gauge: 0.058"-0.063"

Snap-Lock Air Filter Cover

Side Mounted Chain Tensioner

SmartStart®

#### USAGE



HEAVY DUTY

### RECOMMENDED APPLICATIONS

Demanding cutting jobs where more power is required.



### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 390 XP® CHAINSAW

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
965060730	390XP	20", 3/8 pitch, .058 ga. 88 cc chainsaw	
965060734	390XP	24", 3/8 pitch, .058 ga. 88 cc chainsaw	
965060738	390XP	28", 3/8 pitch, .058 ga. 88 cc chainsaw	
965060708	390XP	32", 3/8 pitch, .063 ga. 88 cc chainsaw	
965060709	390XP	36", 3/8 pitch, .063 ga. 88 cc chainsaw	

#### **ACCESSORIES**





# 372 XP®

· Weight: 14.6 lbs

• Displacement: 70.7 cc

• Power Output: 5.5 HP

• Chain Pitch: 3/8"

Chain Gauge: 0.058"

Snap-Lock Air Filter Cover

Side Mounted Chain Tensioner

#### USAGE



HEAVY DUTY

....

### RECOMMENDED APPLICATIONS

Demanding cutting jobs where more power is required.



### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 372 XP® CHAINSAW

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
965968318	372XP	16", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
965968320	372XP	18", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
965968309	372XP	20", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
965968312	372XP	24", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
965968321	372XP	28", 3/8 pitch, .058 ga. 70.7 cc chainsaw	

#### **ACCESSORIES**







# 562 XP®

#### **CHAINSAW**

· Weight: 13.4 lbs

Displacement: 59.8 cc

Power Output: 4.7 HP

• Chain Pitch: 3/8"

Chain Gauge: 0.058"

Snap-Lock Cylinder Cover

Side Mounted Chain Tensioner

AutoTune®

#### USAGE



HEAVY DUTY

### RECOMMENDED APPLICATIONS

Perfect for felling, limbing, and tree care.



### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 562 XP® CHAINSAW

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
970502103	562XP	18", 3/8 pitch, .058 ga. 59.8 cc chainsaw	
970502105	562XP	20", 3/8 pitch, .058 ga. 59.8 cc chainsaw	
970502115	562XP	24", 3/8 pitch, .058 ga. 59.8 cc chainsaw	
970502123	562XP	28", 3/8 pitch, .058 ga. 59.8 cc chainsaw	

#### **ACCESSORIES**







# 562 XP® G

#### **CHAINSAW**

· Weight: 13.9 lbs

• Displacement: 59.8 cc

• Power Output: 4.7 HP

• Chain Pitch: 3/8"

• Chain Gauge: 0.058"

Snap-Lock Cylinder Cover

Heated Carburetor and Handles

AutoTune®

#### USAGE



HEAVY DUTY

### RECOMMENDED APPLICATIONS

Perfect for felling, limbing, and tree care



### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 562 XP® G CHAINSAW

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**® – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

#### **ACCESSORIES**





# 543 XP® CHAINSAW - 16"

· Weight: 9.92 lbs

• Displacement: 43.1 cc

• Power Output: 2.95 HP

• Bar Length: 16"

Chain Pitch: 0.325"

• Chain Gauge: 0.050"

Side Mounted Chain Tensioner

Magnesium Crankcase

• X-Torg®

#### **USAGE**



HEAVY DUTY

LIGHT BUT

### RECOMMENDED APPLICATIONS

Optimal for felling, limbing, and tree care.



### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 543 XP® CHAINSAW

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

#### **ACCESSORIES**





## 555 CHAINSAW

· Weight: 13.1 lbs

Displacement: 59.8 cc

Power Output: 4.3 HP

• Chain Pitch: 3/8"

Chain Gauge: 0.058"

Snap-Lock Cylinder Cover

Side Mounted Chain Tensioner

AutoTune®

• X-Torq®

#### USAGE



HEAVY DUTY

LICHT BUT

### RECOMMENDED APPLICATIONS

For professional loggers and demanding landowners



### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 555 CHAINSAW

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
970501402	555	16", 3/8 pitch, .058 ga. 59.8 cc chainsaw	
970501405	555	18", 3/8 pitch, .058 ga. 59.8 cc chainsaw	
970501407	555	20", 3/8 pitch, .058 ga. 59.8 cc chainsaw	
970501409	555	24", 3/8 pitch, .058 ga. 59.8 cc chainsaw	

#### **ACCESSORIES**







# **T540 XP®**

#### **CHAINSAW**

Weight: 8.6 lbs

• Displacement: 37.7 cc

Power Output: 2.4 HP

• Chain Pitch: 3/8"

Chain Gauge: 0.050"

• Quick Release Air Filter Cover

Side Mounted Chain Tensioner

AutoTune®

• SmartStart®

Magnesium Crankcase

• X-Torg®





HEAVY DIT

LICHT BUT

### RECOMMENDED APPLICATIONS

Developed for tree pruning from the ground, climbing, or in a lift





### THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# T540 XP® CH

**CHAINSAW** 

#### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
970463314	T540XP	14", 3/8 pitch, .050 ga. 37.7 cc top handle chainsaw	
970463316	T540XP	16", 3/8 pitch, .050 ga. 37.7 cc top handle chainsaw	

#### **ACCESSORIES**





# **T435**

CHAINSAW - 14"

• Weight: 7.5 lbs

• Displacement: 35.2 cc

• Power Output: 2.0 HP

• Bar Length: 14"

Chain Pitch: 3/8"

Chain Gauge: 0.050"

Ouick Release Air Filter Cover

Side Mounted Chain Tensioner

#### USAGE



HEAVY DIT

# RECOMMENDED APPLICATIONS

Developed for tree pruning from the ground, climbing, or in a lift



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.

PART NO.: 966997234



# T435 CHAINSAW

### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

### **ACCESSORIES**





# 565 CHAINSAW

· Weight: 14.3 lbs

Displacement: 70.6 cc

Power Output: 5 HP

• Chain Pitch: 3/8"

Chain Gauge: 0.050"

Snap-Lock Cylinder Cover

AutoTune®

### **USAGE**



HEAVY DUTY

# RECOMMENDED APPLICATIONS

For professional loggers and demanding landowners



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 565 CHAINSAW

### **ADDITIONAL FEATURES**

**HIGH PRODUCTIVITY** – High engine power offers outstanding productivity with high levels of uptime.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**EXCELLENT ERGONOMICS** – Low total weight, low vibration levels, ergonomic designs ensuring easy start and maneuver.

PART NUMBER	MODEL	DESCRIPTION	MSRP
966733902	565	16", 3/8 pitch, .050 ga. 70.7 cc chainsaw	
966733903	565	16", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966733904	565	18", 3/8 pitch, .050 ga. 70.7 cc chainsaw	
966733905	565	18", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966733907	565	20", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966733909	565	24", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966733911	565	28", 3/8 pitch, .058 ga. 70.7 cc chainsaw	

## **ACCESSORIES**







# **T525**

CHAINSAW - 12"

· Weight: 5.9 lbs

• Displacement: 27 cc

• Power Output: 1.4 HP

• Bar Length: 12"

Chain Pitch: 3/8"

Chain Gauge: 0.050"

• Ouick Release Air Filter Cover

Side Mounted Chain Tensioner

Top Handle

X-Torq®

### **USAGE**



HEAVY DUTY

LICHT BUT

# RECOMMENDED APPLICATIONS

Developed for tree pruning from the ground, climbing, or in a lift



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.

PART NO.: 967633312



# **T525** CHAINSAW - 12"

### **ADDITIONAL FEATURES**

**LOW WEIGHT** – Easy to work with and less strain to the users arms and upper body.

**HIGH PRODUCTIVITY** – High engine power offers outstanding productivity with high levels of uptime.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

## **ACCESSORIES**





# 572 XP®

· Weight: 14.5 lbs

• Displacement: 70.7 cc

• Power Output: 5.8 HP

• Chain Pitch: 3/8"

Chain Gauge: 0.058"

Snap-Lock Cylinder Cover

Side Mounted Chain Tensioner

AutoTune®

• X-Torq®

### **USAGE**



HEAVY DUTY

LICHT DUTY

# RECOMMENDED APPLICATIONS

Perfect for felling, limbing, and tree care.



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 572 XP® CHAINSAW

### ADDITIONAL FEATURES

**HIGH PRODUCTIVITY** – High engine power with the best power to weight ratio in the 70 cc segment offering extremely outstanding productivity with high levels of uptime.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**EXCELLENT ERGONOMICS** – Low total weight, low vibration levels, ergonomic designs ensuring easy start and maneuver.

AIR FILTER - Heavy duty air filter for optimized filtration.

PART NUMBER	MODEL	DESCRIPTION	MSRP
966733102	572XP	16", 3/8 pitch, .050 ga. 70.7 cc chainsaw	
966733103	572XP	16", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966733104	572XP	18", 3/8 pitch, .050 ga. 70.7 cc chainsaw	
966733105	572XP	18", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966733107	572XP	20", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966733109	572XP	24", 3/8 pitch, .058 ga. 70.7 cc chainsaw	
966733112	572XP	28", 3/8 pitch, .058 ga. 70.7 cc chainsaw	

## **ACCESSORIES**



# **572 XP® G**

## **CHAINSAW**

· Weight: 15 lbs

• Displacement: 70.7 cc

• Power Output: 5.8 HP

• Chain Pitch: 3/8"

• Chain Gauge: 0.050"

Snap-Lock Cylinder Cover

Side Mounted Chain Tensioner

AutoTune®

Heated Carburetor and Handles

X-Torq®

### **USAGE**



HEAVY DUT

LICHT DUTY

## RECOMMENDED APPLICATIONS

Perfect for felling, limbing,

and tree care.



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 572 XP® G CHAINSAW

### **ADDITIONAL FEATURES**

**HIGH PRODUCTIVITY** – High engine power with the best power to weight ratio in the 70 cc segment offering extremely outstanding productivity with high levels of uptime.

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**EXCELLENT ERGONOMICS** – Low total weight, low vibration levels, ergonomic designs ensuring easy start and maneuver.

AIR FILTER - Heavy duty air filter for optimized filtration.

PART NUMBER	MODEL	DESCRIPTION	MSRP
966733402	572XPG	18", 3/8 pitch, .058 ga. 70.7cc heated handle chainsaw	
966733403	572XPG	20", 3/8 pitch, .058 ga. 70.7cc heated handle chainsaw	
966733404	572XPG	24", 3/8 pitch, .058 ga. 70.7cc heated handle chainsaw	

## **ACCESSORIES**





# 545 II

· Weight: 11.7 lbs

Displacement: 50.1 cc

Power Output: 3.6 HP

• Chain Pitch: 0.325"

Chain Gauge: 0.058"

Snap-Lock Cylinder Cover

• Side Mounted Chain Tensioner

AutoTune®

• X-Torg®

#### USAGE



HEAVY DUTY

# RECOMMENDED APPLICATIONS

Demanding work by contractors and land owners



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 545 II CHAINSAW

### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
967690616	545 II	16", .325 pitch, .058 ga., 50.1 cc chainsaw	
967690618	545 II	18", .325 pitch, .058 ga., 50.1 cc chainsaw	

## **ACCESSORIES**





# 550 XP® ||

## **CHAINSAW**

· Weight: 11.7 lbs

• Displacement: 50.1 cc

• Power Output: 4.0 HP

• Chain Pitch: 0.325"

Chain Gauge: 0.058"

Snap-Lock Cylinder Cover

Side Mounted Chain Tensioner

AutoTune®

• X-Torq®

### **USAGE**



HEAVY DUTY

LICHT DUTY

# RECOMMENDED APPLICATIONS

Perfect for felling, limbing, and tree care.



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 550 XP® II CHAINSAW

### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
967690815	550XP II	15", .325 pitch, .058 ga. 50.1 cc chainsaw, laminate bar	
967690816	550XP II	16", .325 pitch, .058 ga. 50.1 cc chainsaw	
967690818	550XP II	18", .325 pitch, .058 ga. 50.1 cc chainsaw	
967690820	550XP II	20", .325 pitch, .058 ga. 501 cc chainsaw	

## **ACCESSORIES**







# 550 XP® G II

## **CHAINSAW**

· Weight: 12.1 lbs

• Displacement: 50.1 cc

Power Output: 4 HP

Chain Pitch: 0.325"

Chain Gauge: 0.058"

Snap-Lock Cylinder Cover

· Heated Carburetor and Handles

• AutoTune®

• X-Torg®

#### USAGE



HEAVY DUTY

## RECOMMENDED APPLICATIONS

Perfect for felling, limbing, and tree care.



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.



# 550 XP® G II CHAINSAW

### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

PART NUMBER	MODEL	DESCRIPTION	MSRP
967690916	550XPG II	16", .325 pitch, .058 ga., 50.1 cc heated handle chainsaw	
967690918	550XPG II	18", .325 pitch, .058 ga., 501 cc heated handle chainsaw	

## **ACCESSORIES**







# 3120 XP® CHAINSAW POWERHEAD

· Weight: 22.9 lbs

• Displacement: 118.8 cc

• Power Output: 8.4 HP

• Three-piece Crankcase

Magnesium Crankcase

Adjustable Oil Pump

 Designed to pull the chain on our longest bars

Powerhead Only

Bar and Chain Sold Separately

#### USAGE



HEAVY DUTY

LIGHT DUT

## RECOMMENDED APPLICATIONS

Logging, portable saw mills, and stump work.

<sup>\*</sup> Engine power values are as rated by the manufacturer, specifications are subject to change.



# THIS PRODUCT QUALIFIES FOR FLEET DISCOUNTS UP TO 20%

Husqvarna's Fleet Program is designed to provide commercial customers a volume discount on major purchases of new Husqvarna landscaping equipment. The Industry's best value with programs built to support the industry and our communities. That's the Husqvarna Advantage.

PART NO.: 965960701



# 3120 XP® CHAINSAW POWERHEAD

### **ADDITIONAL FEATURES**

**AIR INJECTION** – Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter.

**X-TORQ**° – Delivers lower fuel consumption and reduced exhaust emission levels.

**LOWVIB**° – Anti-vibration system minimizes fatigue and provides an unsurpassed operator experience.

**MAGNESIUM CRANKCASE** – Sturdily-built crankcase withstands high RPMs and tough professional use.

### **ACCESSORIES**

